

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/975,250	10/12/2001	Takuhito Ueno	110863	8843
25944 7590 05/01/2007 OLIFF & BERRIDGE, PLC			EXAMINER	
P.O. BOX 19928			ROHWER, JACOB P	
ALEXANDRIA, VA 22320			'ART UNIT	PAPER NUMBER
			2625	
			·	
			MAIL DATE	DELIVERY MODE
			05/01/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
	09/975,250	UENO ET AL.	
Office Action Summary	Examiner	Art Unit	
·	Jacob P. Rohwer	2625	
The MAILING DATE of this communication a Period for Reply	oppears on the cover sheet w	rith the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REF WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication If NO period for reply is specified above, the maximum statutory perion - Failure to reply within the set or extended period for reply will, by state - Any reply received by the Office later than three months after the material earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUN 1.136(a). In no event, however, may a od will apply and will expire SIX (6) MO tute, cause the application to become A	CATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).	
Status			
Responsive to communication(s) filed on 20 This action is FINAL . 2b) ☐ TI Since this application is in condition for allow closed in accordance with the practice unde	his action is non-final. vance except for formal ma	·	
Disposition of Claims			
4) ⊠ Claim(s) 16-25 is/are pending in the applicate 4a) Of the above claim(s) is/are withd 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 16-25 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and	rawn from consideration.		
Application Papers			
9) ☐ The specification is objected to by the Exami 10) ☑ The drawing(s) filed on 16 September 2005 i Applicant may not request that any objection to the Replacement drawing sheet(s) including the corr 11) ☐ The oath or declaration is objected to by the	is/are: a)⊠ accepted or b) he drawing(s) be held in abeya rection is required if the drawin	ance. See 37 CFR 1.85(a). g(s) is objected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for forei a) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume application from the International Bure * See the attached detailed Office action for a least terms.	ents have been received. ents have been received in riority documents have bee eau (PCT Rule 17.2(a)).	Application No n received in this National Stage	
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/Paper No(s)/Mail Date	Paper No	Summary (PTO-413) (s)/Mail Date Informal Patent Application (PTO-152) 	

Art Unit: 2625

DETAILED ACTION

Response to Arguments

Applicant's arguments filed 20 April 2007 with respect to the combination of Kim, Kawase and Garcia have been fully considered but they are not persuasive. More specifically in the interview dated 26 April 2007, it was noted that the warm-up period as specified in Kim, combined with the power-save and normal mode as specified in Kawase, discloses the output of image data after a transition from the power save mode to a normal mode. Furthermore, applicant's representative argues that the Garcia Reference does not disclose the controlling of speed of receiving data during a period of transition from a power save mode to a normal mode, and further that Garcia does not relate to printing. In response, examiner indicated in the interview and reiterates that the combination of Garcia with Kim and Kawase discloses controlling the data transfer rate of print data during a period of warm-up, and further that the Garcia Reference will be maintained regarding the limitation as specified in the previous rejection.

Applicant's arguments, see pages 6-7, filed 20 April 2007, with respect to the rejection of claim 16 under Kim, Garcia and Kawase have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. It was argued that Kawase or Kim does not explicitly disclose an "off-state" in association with warm-up or power-save mode. However, upon further consideration, a new ground(s) of rejection is made in view of US Patent No 6,594,027 to Guillemin et al. Rejections based on the newly cited reference follow. It is also noted that since applicant amended (i.e., amendment filed on

27 October 2006) by canceling previous claims 1-15 and further adding new claims 16-25 in response to the non-final Office Action mailed on 27 July 2006, this Final Office Action is proper and meant to replace the previous Final Office Action mailed on 24 January 2007.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 1. Claims 16-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent No 6,542,253 to Kim, in view of US Patent No 6,084,934 to Garcia et al, further in view of US Patent No 6,742,130 to Kawase, and further in view of US Patent No 6,594,027 to Guillemin et al.

Regarding claim 16, Kim discloses an image forming apparatus (Fig 1 #14, Fig 2 #25) having a warm-up time, (Col 2 Lin 64—Col 3 Lin 9 and Col 5 Lin 6-10) the image forming apparatus comprising:

a receiver (Fig 2 #24) configured to receive data from an external device (Fig 1 #10) being located outside of the image forming apparatus; (Col 2 Lin 32-42)

an image-forming portion configured to output an image corresponding to the received data; (Fig 2 #25)

Art Unit: 2625

a controller (Fig 2 #21) configured to control the image-forming portion to output the received data after a warm-up period. (Col 2 Lin 64—Col 3 Lin 9 and Col 5 Lin 6-10)

Although Kim discloses a communication interface that includes the receiver, Kim does not expressly disclose that the communication interface is configured to control a speed for receiving the data.

However, Garcia discloses a data transmission system, (Fig 1) wherein a communication interface is configured to control a speed for receiving the data. (Col 3 Lin 61—Col 4 Lin 5)

At the time of the invention, it would have been obvious to one of ordinary skill in the art to control a speed for receiving the data as specified in Garcia, in the printing system including a warm-up period as specified in Kim.

The motivation for doing so would have been to provide a data transmission system that avoids the inefficiencies of the start/stop asynchronous scenarios that arise in data transmission due to a full data buffer at the receiving side of the transmission.

(Garcia, Col 2 Lin 8-15)

Next, although Kim discloses a warm-up period for the printer, (Col 2 Lin 64—Col 3 Lin 9 and Col 5 Lin 6-10) Kim does not *expressly* disclose that this warm-up period is a transition from a power-saving mode to a normal printing mode.

However, Kawase discloses a transition period between a power-save mode to a normal printing mode as an amount of time for a printer to warm-up. (Fig 2)

At the time of the invention, it would have been obvious to one of ordinary skill in the art to use the warm-up period as specified in Kim, in order to transition from a power-save mode to the normal print mode as specified in Kawase.

The motivation for doing so would have been to provide a system that conserves power consumption while still allowing a sufficient amount of time for the printer to reach a state of functionality for proper output of image data.

Finally, the combination does not expressly disclose that a controller is configured to be in the off state in the power saving mode.

However, Guillemin discloses a lower power state of a printer used to conserve power, wherein the low power state can constitute a sleep mode, power save mode or off mode. (Col 1 Lin 36-39)

At the time of the invention, it would have been obvious to use the off mode as specified in Guillemin when using the power saving mode as specified in the combination of Kim, Garcia and Kawase.

The suggestion/motivation for doing so would have been to maximize power saving capability by turning the controller of the image forming device completely off. Furthermore an off mode could easily be associated with the printer environment recognition operation used for warm-up and printer initialization (Kim, Col 5 Lin 6-9) and the Kawase Patent where it discloses a power saving mode that optimizes power saving control. (Kawase, Col 13 Lin 35-44)

Therefore it would have been obvious to combine the Kim, Garcia, Kawase and Guillemin Patents in order to obtain the invention as specified in claim 1.

Art Unit: 2625

Regarding claim 17, the combination further discloses the image forming apparatus according to claim 16, wherein:

the controller is further configured to, before going into an off-state, set information in the communication interface for controlling the speed for receiving the data; and

the communication interface is further configured to control the speed for receiving the data based on the information set by the controller. (Kawase Fig 7 and Fig 8 S302, Col 13 Lin 35-45 and Col 14 Lin 15-30, the disclosure specifies that a power-save mode is determined before going into an off-state of power saving mode, and the modes specified vary in power consumption and communication speeds. In combination with Kim and Garcia as specified in the rejection of claim 16 above, it is disclosed that different speeds (modes) can be set before powering down so that optimum power conservation and data communication speed can occur.)

Regarding claim 18, the combination further discloses in Kim the image forming apparatus according to claim 16, wherein the communication interface is further configured to control the speed for receiving the data based on a predictive time length of the period set in the communication interface. (Col 5 Lin 10-15 discloses correspondence between data transmission and a printer warm-up time.)

Regarding claim 19, the combination further discloses in Garcia the image forming apparatus according to claim 16, comprising a storing portion configured to store the received data, wherein the communication interface is further configured to

control the speed for receiving the data based on a residual capacity of the storing portion. (Col 2 Lin 17-29)

2. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Kim, Garcia, Kawase and Guillemin as specified in claim 16 above, further in view of US Patent No 6,977,945 to Noda et al.

Regarding claim 20, the combination discloses in Kawase data and command transmission using packets. (Col 11 Lin 18-30)

The combination does not expressly disclose that the communication interface is further configured to control the speed for receiving the data based on information indicating a maximum data payload to be received from the external device, the information being set in the communication interface.

However, Noda discloses a data transmission system and network interface for controlling the transfer rate of packets based on the size (data payload) of the packets. (Col 2 Lin 14-22)

At the time of the invention, it would have been obvious to one of ordinary skill in the art to control the transfer rate based on the data payload of the packet as specified in Noda, in order to transmit the print data and command data as specified in the combination of Kim, Garcia, Kawase and Guillemin.

The motivation for doing so would have been to regulate transmission of data and avoid abnormal termination of a transmission due to error. (Noda, Col 2 Lin 8-13)

Therefore it would have been obvious to combine the Kim, Garcia, Kawase, Guillemin and Noda Patents in order to obtain the invention as specified in claim 20.

3. Claims 22-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Kim, Garcia, Kawase and Guillemin as specified in claim 16 above, further in view of commonly known prior art at the time of the invention.

Regarding claim 22, the combination discloses an image forming apparatus connected to an external device and a communication interface as specified in the rejection of claim 16 above, and that serial communication is used. (Kim, Col 2 Lin 58-60) Additionally, Kawase discloses data transmission using packets as specified in the rejection of claim 20 above.

The combination does not *expressly* disclose that the data transmission occurs using a serial bus and that in order to process the data packets accordingly, or an address area in the packet is referred to in order to determine that the image forming apparatus is in fact the destination.

However, official notice is taken that at the time of the invention serial communication via a serial bus was very common for data transmission between an external device and an image forming apparatus. Furthermore, at the time of the invention, it was known that there was a header section within a packet that references an address of a network destination where the packet was intended to be transmitted.

It would have been obvious to use a serial bus/communication for the interface in the combination of Kim, Garcia, Kawase and Guillemin that uses addressed packets to send data including payload information. The motivation for doing so would have been to provide a high-speed communication for possibly multiple devices where the devices know where and how to respond to the commands over the network.

Therefore it would have been obvious to combine the Kim, Garcia, Kawase, Guillemin and commonly known prior art at the time of the invention in order to obtain the invention as specified in claim 22.

Regarding claim 23, the combination further discloses an image forming apparatus connected to an external device and a communication interface as specified in the rejection of claim 16 above. Additionally, the combination discloses deciding a mode shift by detecting a change of an input control signal of a parallel interface, (Kim, Col 2 Lin 58-60) the mode shift including shifting from or to the normal mode. (Kawase Fig 2, mode changes between Normal and Power-Saving, Col 11 Lin 18-31 Packet Communication)

The combination does not *expressly* disclose using a serial bus. Again official notice is taken that this was a common element for communication between an external device and an image forming apparatus at the time of the invention. Please see rejection of claim 22 above.

4. Claims 21, 24 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Kim, Garcia, Kawase, Guillemin and Noda as specified in claim 20 above, further in view of commonly known prior art at the time of the invention as specified in claim 22 above.

Regarding claim 21, the combination discloses in Kawase data and command transmission using packets. (Col 11 Lin 18-30)

The combination does not expressly disclose that the communication interface is further configured to control the speed for receiving the data based on information

Art Unit: 2625

indicating a reply rate of ACK response and NAK response to the external device, the information being set in the communication interface.

However, official notice is taken that an ACK or NAK response were very common responses in data packet communication at the time of the invention. As a result it would have been obvious to set a control speed for receiving data in the system of Kim, Garcia, Kawase and Noda based on an ACK or NAK response.

The motivation for doing so would have been to allow data reception when the image-forming device acknowledges data communication and reception from the external device, and not allow data reception when communication is not acknowledged. More specifically, the data reception speed would be required to be zero in the case of a NAK response, and the data reception speed could be set variably in the case of the an ACK response. This reads on the limitation that the speed is controlled based on the response as specified in claim 21.

Therefore it would have been obvious to combine the Kim, Garcia, Kawase, Guillemin, Noda and commonly known prior art in order to obtain the invention as specified in claim 21.

Regarding claim 24, please see rejections of claims 20 and 22 above.

Regarding claim 25, the combination discloses in Kawase data and command transmission using packets. (Col 11 Lin 18-30)

The combination does not expressly disclose that the communication interface is further configured to decide the speed for receiving the data based on a rate of notices

informing that reception is normally completed, and notices informing that reception is not normally completed, in replying a receiving response to the external device.

However, Noda discloses a data transmission system and network interface for controlling the transfer rate in response to notices informing that reception is normally completed or not normally completed. (Col 2 Lin 14-31 and Col 4 Lin 35-48, the data transfer rate is set in response to information from the network regarding whether there is a delay (not normal) or not (normal).)

At the time of the invention, it would have been obvious to one of ordinary skill in the art to control the transfer rate based on the notices from the network regarding normal or abnormal reception as specified in Noda, in order to transmit the print data and command data as specified in the combination of Kim, Garcia, Kawase and Guillemin.

The motivation for doing so would have been to regulate transmission of data and avoid abnormal termination of a transmission due to error. (Noda, Col 2 Lin 8-13)

Furthermore, please see rejection of claim 20 above regarding the official notice taken in reference to the serial bus.

Therefore it would have been obvious to combine the Kim, Garcia, Kawase, Guillemin, Noda and commonly known prior art in order to obtain the invention as specified in claim 25.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jacob P. Rohwer whose telephone number is 571-272-5509. The examiner can normally be reached on M-F 9:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Aung Moe can be reached on 571-272-7314. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jacob P Rohwer Assistant Examiner Art Unit 2625

> yn 4/30/07

AUNG S. MOE

TURESUSORY F

1907 W